

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/666,442	09/19/2003	Kendra J. Gallup	10030566-1	8324
57299	7590 06/23/2006		EXAMINER	
AVAGO TECHNOLOGIES, LTD.			JACKSON JR, JEROME	
P.O. BOX 1 DENVER, (920 CO 80201-1920		ART UNIT	PAPER NUMBER
,			2815	
			DATE MAILED: 06/23/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/666,442	GALLUP ET AL.				
Office Action Summary	Examiner	Art Unit				
	Jerome Jackson Jr.	2815				
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period v - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 14 Ap	Responsive to communication(s) filed on <u>14 April 2006</u> .					
2a) ☐ This action is FINAL . 2b) ☑ This	This action is FINAL . 2b)⊠ This action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
 4) Claim(s) 1-7,15 and 16 is/are pending in the appending on the appending of the above claim(s) is/are withdraw 5) Claim(s) 15 and 16 is/are allowed. 6) Claim(s) 1-4 and 7 is/are rejected. 7) Claim(s) 5 and 6 is/are objected to. 8) Claim(s) are subject to restriction and/or 	vn from consideration.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to by the Education of the Education of the drawing (s) be held in abeyance. See ion is required if the drawing (s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892)	4) 🔲 Interview Summary	(PTO-413)				
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Da	atent Application (PTO-152)				

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 3-5,15 and 16 are objected to because of the following informalities: "planarization" is misspelled. Appropriate correction is required.

Claims 1-7 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Mueller-Fiedler '142, of record.

Claim 1 still does not distinguish over '142 where T2 is a substrate; Li is a lens above the substrate and below the laser LD; and LD is mounted on a top layer T1 above the lens. In other words, upside down or equivalently rotated 180 degrees, the '142 device anticipates claim 1. Claim 2 is rejected as previously because T1-T3 can be glass or silicon. Claims 3,4 and 7 are likewise rejected as previously. Mueller discusses a lens "fitted in a planar manner" (col. 2). Lenses are typically glassy material. Hence a glassy lens fitted in a planar manner can obviously comprise a lens covered with a planar oxide material.

Claims 5 and 6 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 15 and 16 are allowed.

Claims 5, 6, 15 and 16 further recite a contact pad above the top "dielectric" layer.

Art Unit: 2815

Applicant's arguments filed 4/14/06 have been fully considered but they are not persuasive. Applicant is directed to the interpretation of the new claims as shown above.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jerome Jackson Jr. whose telephone number is 571-272-1730. The examiner can normally be reached on M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ken Parker can be reached on 571-272-2298. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

jj

JEROME JACKSON PRIMARY EXAMINER